

General Certificate of Secondary Education November 2012

Mathematics (Linear) B Paper 2 Higher Tier 4365

Final

Mark Scheme

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Glossary for Mark Schemes

М

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

Method marks are awarded for a correct method which could lead

	to a correct answer.
M dep	A method mark dependent on a previous method mark being awarded.
Α	Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
В	Marks awarded independent of method.
B dep	A mark that can only be awarded if a previous independent mark has been awarded.
Q	Marks awarded for quality of written communication. (QWC)
ft	Follow through marks. Marks awarded following a mistake in an earlier step.
sc	Special case. Marks awarded within the scheme for a common

misinterpretation which has some mathematical worth.

oe Or equivalent. Accept answers that are equivalent.

eg, accept 0.5 as well as $\frac{1}{2}$

[a, b] Accept values between a and b inclusive.

Paper 2 Higher Tier

Q	Answer	Mark	Comments
_		N/4	
1	180 – 105 (= 75) or 225	M1	May be on diagram
	360 – their 75 – 100 – 50	M1dep	
	or 360 – 225		oe
	135	A1	
2	18 72	M1	Working with marks lost
	$\frac{18}{25}$ (× 100) (= 72(%)) or $\frac{72}{100}$		
	or 18 ÷ 25 or 0.72 oe		$\frac{7}{25}$ (× 100) (= 28(%)) or $\frac{28}{100}$
			or 7 ÷ 25 or 0.28 oe
	$\frac{30}{40}$ (× 100) (= 75(%)) or $\frac{75}{100}$	M1	$\frac{10}{40}$ (× 100) (= 25 (%)) or $\frac{25}{100}$
	or 30 ÷ 40 or 0.75 oe		or 10 ÷ 40 or 0.25 oe
			Note: 18 × 8 and 30 × 5 implies M2
	Test B and correct pair compared	A1	e.g.
	(30 out of 40)		0.72 and 0.75
			72 and 75
			144 and 150 (marks out of 200)
			28 and 25 (% incorrect)
Alt 2	18 ÷ 25 or 30 ÷ 40	M1	
	18 ÷ 25 × 40 or 30 ÷ 40 × 25	M1	
	Test B and correct pair compared	A1	e.g.
	(30 out of 40)		28.8 (and 30)
			or 18.75 (and 18)

Q	Answer	Mark	Comments
· ·	Allowel	Maik	Comments
3	6 <i>x</i> + 12 (+ 8)	M1	3(2x+4) = 50-8
	6x + their 20 = 50	M1	$2x + 4 = \frac{\text{their } 42}{3}$
	or $6x + 12 = 42$		Note: their 20 = their 12 + 8 Terms simplified on each side
	6x = 50 - 8 - 12 or $6x = 30$	M1dep	$2x = \frac{\text{their } 42}{3} - 4$
			Terms collected
			Dependent on at least one other M mark
	5	A1	
4(0)	Fully somest calls	D2	
4(a)	Fully correct cells 64 27 8	B3	B2 for 3 or 4 correct cells
	11 2		B1 for 1 or 2 correct cells
	or		
	64 27 8 and 64		
	11 2		
		1	
4(b)	Valid reason	B1	Accept
			Square number has more than 2 factors
			Prime number only has 2 factors
			Square numbers cannot be prime as they have at least 3 factors (except 1 which is non-prime)
			Any square number is divisible by its square root so cannot be prime
			A prime number can only be divided by itself and 1
			Do not accept
			Prime number cannot be a square number
			Square number cannot be prime

Q	Answer	Mark	Comments
5	$\frac{4(6) + 3(-1)}{61}$ or $\frac{24 - 3}{6 + 1}$	M1	oe
	21 on numerator or 7 on denominator	M1	
	3	A1	
6	B and D	B2	B1 for 1 correct (and 1 incorrect) or 2 correct and 1 incorrect
7	8 ÷ 2 (= 4)	M1	oe
	$\pi \times \text{their 4} \times \text{their 4}$	M1dep	oe Allow 3.14 or better for π
	[50.2, 50.3] or 16π	A1	Condone [13.7, 13.8] or 64 – 16π as fw
8	$\frac{1}{2} \times 8.6 \times 5.2$	M1	oe
	22.36	A1	
	22.4	B1ft	ft from 2 d.p. or more
9	2.2 → 28(.248) (and too small) or trial evaluated correctly for 2.2 < trial < root	B1	If equation has been rearranged to equal 0 2.2 → -(1.752) If equation has been rearranged to 0 = 2.2 → +(1.752)
	2.3 → 30.5(67) (and too big) or trial evaluated correctly for root < trial < 2.3	B1	If equation has been rearranged to equal 0 2.3 \Rightarrow +(0.567) If equation has been rearranged to 0 = 2.3 \Rightarrow -(0.567) Note: Root is $x = 2.276$

Q	Answer	Mark	Comments
10(a)	1.5 + 7.5 (= 9)	M1	9 seen as denominator
	$\frac{1.5}{\text{their 9}}$ or $\frac{3}{18}$	M1dep	oe
	then 9 10		
	1	A1	0.16 or 0.17 implies M1M1A0
	6		SC2 $\frac{5}{6}$
			SC1 $\frac{1}{5}$ or $\frac{4}{5}$
10(b)	12 litres = 75%	M1	oe
			3(2+x) = 12 or 6 + 3x = 12
	40 0		

10(b)	12 litres = 75%	M1	oe
			3(2 + x) = 12 or 6 + 3x = 12
	or 12 ÷ 3		
			$\frac{x+2}{x+2+12} = \frac{1}{4} \text{ or } 4(x+2) = x+2+12$
			or $4x + 8 = x + 2 + 12$
			$\frac{B}{B+12} = \frac{1}{4}$ or $4B = B+12$
	4 litres = 25%	M1dep	oe
	or 4 litres = $\frac{1}{4}$		2 + x = 4 or $3x = 12 - 6$
	or 16 litres = 100%		4x - x = 2 + 12 - 8
	or $\frac{4}{16}$		4 <i>B</i> – <i>B</i> = 12
			4D - D = 12
	(Add) 2 (litres)	A1	

11(a)	4 ÷ 2.5	M1	
	1.6	A1	Ignore further working

Q	Answer	Mark	Comments
11(b)	Week 4	B1	
	Valid reason or working	Q1	Accept:
			4.8, 2.3, 4.8 are total weights in weeks 1, 2 and 3
			Total weight in weeks 1, 2 and 3 always less than 5kg
			5.7kg caught in week 4 (so possible)
			Largest (total) weight caught in week 4
			More than 5 (kg) caught in week 4
			Most weight in week 4
			Do not accept:
			Most in week 4
			More in week 4
			Mean is bigger in week 4
			Strand (ii)
			SC1 for 4.8, 2.3 4.8 and 5.7 seen
12(a)	$x^2 + 6x + 6x + 36$	M1	Allow one error
	$x^2 + 12x + 36$	A1	Do not ignore further working
12(b)	27wx – 36wy or – 5wx – 5wy	M1	
12(5)			
	27wx - 36wy - 5wx - 5wy	A1	
	22wx - 41wy or $w(22x - 41y)$	A1ft	ft only if 3 of the 4 terms are correct
			Do not ignore further working
	Correct symbolic notation for their	Q1	Strand (i)
	simplified answer		Must contain terms in wx and wy only
13(a)	200 ÷ 5 or $\frac{1}{5}$ seen	M1	oe
	40	A1	

Q	Answer	Mark	Comments
13(b)	Valid statement	M1	e.g. Not (approximately) equal amounts on each number Should all be (around) 40 3 is (more than) double 4 Only 2 is near expected value Biased towards 3
	No or Cannot tell	A1	May be implied by comment
14	$(5-2) \times 180$ or $(2 \times 5 - 4) \times 90$ or 108×5 or 540 or $A = C$ or $E = D$	M1	Line of symmetry drawn with 90° seen or implied (and 360)
	Pentagon used $6+3+4+3+4$ or $6x+3x+4x+3x+4x$	M1	Quadrilateral used $3+3+4$ or $3x+3x+4x$
	20 or 20 <i>x</i> (= 540) oe	M1dep	10 or $10x (+ 90 = 360)$ oe
	540 ÷ 20 × 6 oe 162	M1dep A1	(360 – 90) ÷ 10 × 6 oe
15	tan identified $\tan 31 = \frac{h}{16}$	M1 M1dep	If hypotenuse used must see $\frac{16}{\cos 31} = 18.6() \text{ or } 18.7$ or $\frac{16}{\sin 59} = 18.6() \text{ or } 18.7$ oe
	or $\frac{h}{\sin 31} = \frac{16}{\sin(90-31)}$		$h^2 + 16^2 = \text{their } 18.6^2$ or $h^2 = \text{their } 18.6^2 - 16^2$ or $\frac{h}{\sin 31} = \frac{\text{their } 18.6}{(\sin 90)}$
	9.61() or 9.6	A1	

Q	Answer	Mark	Comments
16(a)	80	B1	
16(b)	20	B1 ft	ft their (a) 90 in (a) → 21 or 22
	35	B1ft	ft their (a) 90 in (a) → 36 or 37
			SC1 for reversed answers eg 35, 20
16(c)	25 – 15	M1	90 in (a) → 29 or 30 – 16 or 17
	10	A1 ft	ft their (a) 90 in (a) → [12, 14]
16(d)	Test A and valid reason	B1	Accept
10(4)	rest A and valid reason		Lower median for test A
			Lower on average for test A
			Marks are generally lower for test A
			Lower and upper quartiles are less for test A
			More people got higher marks for test B
			Do not accept
			Marks are lower for test A
			Lower quartiles are lower for test A
			Top mark less for test A
			Comparing IQR or range only
			Top mark is (only) 40 for test A
17	$x + x + 3 + 4x (\div 3)$	M1	oe
	$(6x+3) \div 3$	M1dep	Condone missing brackets
	2 <i>x</i> + 1	A1	

Q	Answer	Mark	Comments
18	3(10 – <i>x</i>)	M1	Do not accept 54 + 15 $x = 3(10 - x)$
	or $30 - 3x$		Do not accept 54 + 15 $x = 30 - 3x$
			$\frac{18}{3} + \frac{5x}{3}$
			or 6 + $\frac{5x}{3}$
			or 6 + ${3}$
	18 + 5x = 30 - 3x	M1dep	$6 + \frac{5x}{3} = 10 - x$
			3
	5x + 3x = 30 - 18	M1	Collecting their 4 terms (2 stages)
			0e 5x
			$\frac{5x}{3} + x = 10 - 6$
	1.5 or $\frac{3}{2}$ or $1\frac{1}{2}$	A1ft	dep on 3 rd M1
	7.5 61 2 61 7 2		
19	Attempt to work out gradient	M1	e.g. 3 ÷ 6 seen oe
	·		Right-angled triangle drawn on diagram
	$m=\frac{1}{2}$ or $c=4$ seen or implied	M1	e.g $\frac{1}{2}x + 4$
	2		
			oe 1
			Gradient = $\frac{1}{2}$ or Intercept = 4
	$y = \frac{1}{2}x + 4$	A1	oe
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
20	180 – 42 – 42 (= 96)	M1	oe
			Angle BOC = 2a
			Angle BOC = 96
			Angle <i>OBC</i> = 42
			2a + 42 + 42 = 180
	their 96 ÷ 2	M1dep	a + 42 = 90 or 2a = 96
	48	A1	

Q	Answer	Mark	Comments
21(a)	64	B1	
()	Alternate segment (theorem)	B1	
			I
21(b)	97	B1	
22	Up to 30 minutes late on both days seen or implied	M1	Lists all nine possibilities but does not select from them
	or		(probabilities or words)
	30 minutes to 1 hour late on one day and on time on the other day seen or implied		May be on a tree diagram
	Up to 30 minutes late on both days seen or implied	M1dep	Must be selected (2 or 3)
	and		
	30 minutes to 1 hour late on one day and on time on the other day seen or implied		Need not state both ways
	0.3 × 0.3 (= 0.09)	M1	Must be selected if on a tree diagram
	or		(2 or 3)
	0.6 × 0.1 (× 2) (= 0.06 or 0.12)		
	0.3 × 0.3 (= 0.09)	M1dep	Dep on 3 rd M1
	+		
	0.6 × 0.1 (× 2) (= 0.06 or 0.12)		
	0.21	A1	
23	$\pi \times 8 \times 8$	M1	oe
_•			
	$\frac{130}{360} \times \pi \times 8 \times 8$	M1dep	oe
	72.5 or 72.6	A1	
	73 or 72.6	B1 ft	
	· ·		

Q	Answer Mark Comments				
Ų	Answer	IVIdi K		omments	
24	$\frac{8}{\sin 35} = \frac{10}{\sin C}$	M1	oe Using perpendicu $\frac{h}{10} = \sin 35 \text{ and } h$	-	
	$\sin C = 0.71(697)$	M1dep	or $BC = 13.7$ $\cos y = \frac{5.73(576.)}{8}$)	
	(C =) 45.8 or 46	A1	y = 44.195 or 44 o	or 44.2	
	(A =) 99.2 or 99 or 99.19	A1			
25	If $n + 1$ is odd then $n + 2$ is even If $n + 1$ is even then $n + 2$ is odd	B1 B1 B1	$n (n + 3) + 2$ If n is odd, $n + 3$ is even odd \times even is even If n is even, $n + 3$ is odd even \times odd is	Using $n^2 + 3n + 2$ If n is odd odd ² = odd and $3 \times \text{odd} = \text{odd}$ or odd $\times \text{odd} = \text{odd}$ If n is odd odd + odd + 2 = even If n is even even ² = even and	
	Odd × even = even (so multiple of 2)	B1	even Even + 2 = even (so multiple of 2)	$3 \times \text{even} = \text{even}$ or odd $\times \text{even} = \text{even}$ If n is even even $+ \text{even} + 2 = \text{even}$ (so multiple of 2)	
26(a)	Correct sketch (Cubic)	B1			
26(b)	Correct sketch (Reciprocal)	B1			

Q	Answer	Mark	Comments
27	Squares any side	M1	$(5.8 \times 10^2)^2$ or $(1.16 \times 10^3)^2$ or $(580 \sqrt{5})^2$ or $(1296.9)^2$
	336400 or 1345600 or 1682000	M1dep	
	$336400 + 1345600 = 1682000$ or $580\sqrt{5} = 1296.9$ and $\sqrt{1682000} = 1296.9$	A1	oe Uses cosine rule to obtain cos(angle) = 0
	Correct conclusion for their values	Q1 ft	Strand (iii) dependent on M1M1 Conclusion may be implied: e.g. Pythagoras works from cos(angle) = 0, states angle = 90
	2		
28	$10 - x = 2x^2 + 4$	M1	oe $y = 2(10 - y)^2 + 4$
	$2x^2 + x - 6 = 0$	M1dep	$2y^2 - 41y + 204 = 0$
	$(2x-3)(x+2)$ $(x=) (-1 \pm \sqrt{49})/4$	M1dep	(2y - 17)(y - 12) $(y =) (41 \pm \sqrt{49})/4$
	$(x =)(-1 \pm \sqrt{49})/4$ $x = -2 \text{ and } x = 1.5$ oe e.g. $\frac{3}{2}$	A1	$y = 12 \text{ and } y = 8.5$ oe e.g. $\frac{17}{2}$
	x = -2 and $y = 12and x = 1.5 and y = 8.5$	Q1	Must be paired correctly for final mark Strand (ii) SC2 for one correct final pair