



Mathematics (MEI)

Advanced GCE 4763

Mechanics 3

Mark Scheme for June 2010

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2010

Any enquiries about publications should be addressed to:

OCR Publications PO Box 5050 Annesley NOTTINGHAM NG15 0DL

Telephone:0870 770 6622Facsimile:01223 552610E-mail:publications@ocr.org.uk

Mark Scheme

| 1(a)(i) | $AP = \sqrt{2.4^2 + 0.7^2} = 2.5$ | M1 | |
|---------------|---|------------|--|
| | Tension $T = 70 \times 0.35$ (= 24.5) | A1 | |
| | Resultant vertical force on P is $2T\cos\theta - mg$ | MI | 2 4 |
| | 2 24 5 2.4 4 8 0 8 | B1 | For $T \times \frac{2.7}{2.5}$ (or $T \cos 16.3^\circ$ etc) |
| | $= 2 \times 24.3 \times \frac{-4.8 \times 9.8}{2.5}$ | B1 | For 4.8×9.8 |
| | = 47.04 - 47.04 = 0 | E 1 | |
| | Hence P is in equilibrium | E1 6 | Correctly shown |
| (ii) | $EE = \frac{1}{2} \times 70 \times 0.35^2$ | M1 | (M0 for $\frac{1}{2} \times 70 \times 0.35$) |
| | Elastic energy is 4.2875 J | A1 | |
| | | 2 | <i>Note</i> If 70 is used as modulus instead of stiffness: (i) M1A0M1B1B1E0 |
| | | | (ii) M1 A1 for 1.99 |
| (iii) | Initial KE = $\frac{1}{2} \times 4.8 \times 3.5^2$ | B1 | |
| | By conservation of energy | M1 | Equation involving FE, KE and PE |
| | $4.8 \times 9.8h = 2 \times 4.2875 + \frac{1}{2} \times 4.8 \times 3.5^2$ | F1 | Equation involving DE, TEE and TE |
| | 47.04h = 8.575 + 29.4 | | |
| | Height is 0.807 m (3 sf) | A1 | (A0 for 0.8) ft is $\frac{2 \times (ii) + 29.4}{47.04}$ |
| | | 4 | 47.04 |
| (b)(i) | [Force] = $M L T^{-2}$ | B1 | Deduct 1 mark if units are used |
| | [Stiffness] = MT^{-2} | B1 | |
| | | 2 | |
| (ii) | $L T^{-1} = M^{\alpha} (M T^{-2})^{\beta} L^{\gamma}$ | | |
| | $\gamma = 1$ | B1 | |
| | $\beta = \frac{1}{2}$ | B1 | |
| | $0 = \alpha + \beta$ | M1 | Considering powers of M |
| | $\alpha = -\frac{1}{2}$ | A1 | When [Stiffness] is wrong in (i), allow |
| | | 4 | all marks ft provided the work is |
| | | | comparable and answers are non-zero |

| 2 (i) | $R\cos\theta = mg$ [θ is angle between OB and vertical] | M1 | Resolving vertically |
|----------------|---|----------|---|
| | $R \times 0.8 = 0.4 \times 9.8$ | A1 | |
| | Normal reaction is 4.9 N | A1 3 | |
| (ii) | 2 | 5 | 2 |
| (11) | $R\sin\theta = m\frac{v^2}{r}$ | M1 | For acceleration $\frac{v^2}{r}$ or $r\omega^2$ |
| | $4.9 \times 0.6 = 0.4 \times \frac{v^2}{1.5}$ | A1 | or $4.9 \times 0.6 = 0.4 \times 1.5 \omega^2$ |
| | $v^2 = 11.025$ | | _ |
| | Speed is 3.32 m s^{-1} (3 sf) | A1 3 | ft is $1.5\sqrt{R}$ |
| (iii) | By conservation of energy | M1 | Equation involving KE and PE |
| | $\frac{1}{2}mu^2 = mg \times 2.5$ | A1 | |
| | $u^2 = 5g$ (<i>u</i> = 7) | | |
| | $R - mg = m \times \frac{u^2}{2.5}$ | M1 | Vertical equation of motion (must have three terms) |
| | R - mg = 2mg | 51 | Course other showing |
| | R = 3mg | 4 | or $R = 11.76$ and $3 \times 0.4 \times 9.8 = 11.76$ |
| (iv) | | | Mark (iv) and (v) as one part |
| (v) | $\frac{1}{2}mv^2 = mg \times 2.5\cos\theta$ | M1 | Equation involving KE, PE and an |
| | $v^2 = 5g\cos\theta$ | A1 | angle (θ is angle with vertical) $\int \frac{1}{2}mv^2 = mgh$ can earn M1A1, but |
| | | | only if $\cos \theta = h/2.5$ appears |
| | 2 | | somewhere] |
| | $R - mg\cos\theta = m \times \frac{v^2}{2.5}$ | M1 | Equation of motion towards O (must have three terms, and the weight |
| | When $R = 2mg$ (= 7.84), | | must be resolved) |
| | $2mg - mg\cos\theta = \frac{mv^2}{2.5}$ | | |
| | $2ma mv^2 mv^2$ | N/1 | Obtaining on equation for u |
| | $2mg - \frac{1}{5} = \frac{1}{2.5}$ | M1 M1 | Obtaining an equation for θ |
| | $7.84 - 0.08v^2 = 0.16v^2$ | | These two marks are each dependent |
| | $v^2 = \frac{98}{3}$ | | on MIMI above |
| | Speed is 5.72 m s^{-1} (3 sf) | A1 | |
| | $\cos\theta = \frac{v^2}{5g} = \frac{2}{3}$ ($\theta = 48.2^\circ$ or 0.841 rad) | | |
| | Tangential acceleration is $g\sin\theta$ | M1 | [$g \sin \theta$ in isolation only earns M1 if |
| | Tangential acceleration is 7.30 m s^{-2} (3 sf) | A1 8 | the angle θ is clearly indicated] |

| 3 (i) | Volume is $\int_{1}^{5} \pi \left(\frac{1}{x}\right)^2 dx$ | M1 | π may be omitted throughout Limits not required |
|-------|---|-----------------|--|
| | $=\pi\left[-\frac{1}{x}\right]_{1}^{5} (=\frac{4}{5}\pi)$ | A1 | For $-\frac{1}{x}$ |
| | $\int \pi x y^2 dx = \int_1^5 \pi x \left(\frac{1}{x}\right)^2 dx$ | M1 | Limits not required |
| | $=\pi \left[\ln x \right]_{1}^{5} (=\pi \ln 5)$ | A1 | For ln <i>x</i> |
| | $\overline{x} = \frac{\pi \ln 5}{\frac{4}{5}\pi} = \frac{5\ln 5}{4} (2.012)$ | A1 5 | SR If exact answers are not seen, deduct only the first A1 affected |
| (ii) | Area is $\int_{1}^{5} \frac{1}{x} dx$ | M1 | Limits not required |
| | $= \left[\ln x \right]_{1}^{5} (= \ln 5)$ | A1 | For ln <i>x</i> |
| | $\int x y dx = \int_{1}^{5} x \left(\frac{1}{x}\right) dx (= \begin{bmatrix} x \end{bmatrix}_{1}^{5} = 4)$ | M1 | Limits not required |
| | $\overline{x} = \frac{4}{\ln 5} \qquad (\ 2.485\)$ | A1 | |
| | $\int \frac{1}{2} y^2 dx = \int_1^5 \frac{1}{2} \left(\frac{1}{x}\right)^2 dx$ | M1 | For $\int \left(\frac{1}{x}\right)^2 dx$ |
| | $= \left[-\frac{1}{2x} \right]_{1}^{5} (=\frac{2}{5})$ | A1 | For $-\frac{1}{2x}$ |
| | $\overline{y} = \frac{\frac{2}{5}}{\ln 5} = \frac{2}{5\ln 5}$ (0.2485) | A1 7 | |
| (iii) | CM of R_2 is $\left(\frac{2}{5\ln 5}, \frac{4}{\ln 5}\right)$ | B1B1 ft 2 | <i>Do not penalise inexact answers in this part</i> |
| (iv) | | B1 | For CM of R_3 is $(\frac{1}{2}, \frac{1}{2})$ |
| | | M1 | (one coordinate is sufficient) Using $\sum mx$ with three terms |
| | $\overline{x} = \frac{(\ln 5)\left(\frac{4}{\ln 5}\right) + (\ln 5)\left(\frac{2}{5\ln 5}\right) + (1)\left(\frac{1}{2}\right)}{\ln 5 + \ln 5 + 1}$ | M1 | Using $\frac{\sum mx}{\sum m}$ with at least two terms |
| | CM is $\left(\frac{4.9}{2\ln 5+1}, \frac{4.9}{2\ln 5+1}\right)$ (1.161, 1.161) | A1 cao 4 | in each sum |

Mark Scheme

| 4 (i) | $v = \frac{\mathrm{d}x}{\mathrm{d}t} = A\omega\cos\omega t - B\omega\sin\omega t$ | B1 | |
|--------------|--|-------------|--|
| | $a = \frac{d^2 x}{dt^2} = -A\omega^2 \sin \omega t - B\omega^2 \cos \omega t$ | M1 | Finding the second derivative |
| | $= -\omega^2 (A\sin\omega t + B\cos\omega t) = -\omega^2 x$ | E1 3 | Correctly shown |
| (ii) | <i>B</i> = -16 | B1 | |
| | $\omega = 0.25$ | B1 | |
| | <i>A</i> = 30 | B2 4 | When A is wrong, give B1 for a correct equation involving A [e.g. $A\omega = 7.5$ or |
| | | | $7.5^2 = \omega^2 (A^2 + B^2 - 16^2)$] or for |
| | | | <i>A</i> = -30 |
| (iii) | Maximum displacement is $(\pm) \sqrt{A^2 + B^2}$ | M1 | Or $7.5^2 = \omega^2 (amp^2 - 16^2)$ |
| | | | Or finding <i>t</i> when $v = 0$ and |
| | Maximum displacement is 34 m | A1 | substituting to find <i>x</i> |
| | Maximum speed is $(\pm) 34\omega$ | | |
| | Maximum acceleration is $(\pm) 34\omega^2$ | M1 | For either (any valid method) |
| | Maximum speed is 8.5 m s^{-1} | F1 | Only ft from $\omega \times amp$ |
| | Maximum acceleration is 2.125 m s^{-2} | F1 | Only ft from $\omega^2 \times amp$ |
| | | 5 | |
| (iv) | $v = 7.5 \cos 0.25t + 4 \sin 0.25t$ When $t = 15$, $v = 7.5 \cos 3.75 + 4 \sin 3.75$ | M1 | |
| | = -8.44 | | |
| | Speed is 8.44 m s^{-1} (3 sf); downwards | A1 | |
| | | 2 | |
| (v) | Period $\frac{2\pi}{\omega} \approx 25 \text{ s}$, | | |
| | so $t = 0$ to $t = 15$ is less than one period | | |
| | When $t = 15$, $x = 30 \sin 3.75 - 16 \cos 3.75$ = -4.02 | M1 | |
| | - 1.02 | M1 | Take account of change of direction |
| | Distance travelled is $16+34+34+4.02$ | M1 | Fully correct strategy for distance |
| | Distance travelled is 88.0 m (3 sf) | A1 cao | |
| | | 4 | |

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

OCR Customer Contact Centre

14 – 19 Qualifications (General)

Telephone: 01223 553998 Facsimile: 01223 552627 Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553

© OCR 2010

