

Mark Scheme (Results)

March 2013

GCSE Mathematics (2MB01) Higher
5MB2H (Non-Calculator) Paper 01

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

March 2013

Publications Code UG035037

All the material in this publication is copyright

© Pearson Education Ltd 2013

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme

M1 – method mark
A1 – accuracy mark
B1 – Working mark
C1 – communication mark
QWC – quality of written communication
oe – or equivalent
cao – correct answer only
ft – follow through
sc – special case
dep – dependent (on a previous mark or conclusion)
indep – independent
isw – ignore subsequent working

5MB2H_01																					
Question		Working	Answer				Mark	Notes													
1	(a)		<table border="1"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>y</td> <td>-2</td> <td>0</td> <td>2</td> <td>4</td> <td>6</td> <td>8</td> <td>10</td> </tr> </table>	x	-2	-1	0	1	2	3	4	y	-2	0	2	4	6	8	10	2	B2 cao (B1 for any 2 correct values)
	x	-2	-1	0	1	2	3	4													
y	-2	0	2	4	6	8	10														
(b)		Correct graph		2	B2 correct line through at least 2 correct points (B1 for correct points plotted or ft from their table if at least B1 earned in part (a))																
2			60	3	M1 for $200 \div 5 (=40)$ M1(dep) for '40' $\times 1.50$ or '40' $\times 150$ A1 cao OR M1 $150 \div 5 (= 30)$ or $1.5(0) \div 5 (=0.3(0))$ M1(dep) for $200 \times '30'$ or $200 \times '0.3(0)'$ A1 cao (If no marks scored, SC B1 for 120)																
3		$\frac{9}{24} + \frac{8}{24}$	$\frac{17}{24}$	2	M1 for converting to two fractions with a correct common denominator, at least one fraction correct. A1 $\frac{17}{24}$ oe																

5MB2H_01				
Question	Working	Answer	Mark	Notes
4		150	3	<p>M1 $300 \div 20 (= 15)$ or $200 \div 20 (=10)$ or $3 \div 0.2 (= 15)$ or $2 \div 0.2 (=10)$ M1(dep) '15' \times '10' A1 cao</p> <p>OR</p> <p>M1 $300 \times 200 (= 60000)$ or $20 \times 20 (=400)$ or $3 \times 2 (= 6)$ or $0.2 \times 0.2 (=0.04)$ M1 (dep) '60000' \div '400' or '6' \div '0.04' A1 cao</p>
5	(a)	$3x - y$	2	M1 for $3x$ or $-y$ A1 for $3x - y$ or $-y + 3x$
	(b)	$2 - 3x$	1	B1 for $2 - 3x$ or $-3x + 2$
	(c)	t^{11}	1	B1 cao
	(d)	y^4	1	B1 cao
	(e)	c^{12}	1	B1 cao
6		6400	4	<p>M1 for correct method to work out 20%</p> <p>M1 for correct method to divide in the ratio 2:3</p> <p>M1 for complete and correct method</p> <p>A1 cao</p>

5MB2H_01					
Question		Working	Answer	Mark	Notes
7	(a)		$4n - 2$	2	B2 $4n - 2$ or $2 + (n - 1) \times 4$ oe (B1 for $4n + k$, $k \neq -2$, or $4n$)
	(b)		-30	2	M1 $20 - 5 \times 10$ A1 cao
8			48	4	M1 for $360 \div 5$ (=72) M1 for $180 - '72'$ (= 108) M1 (dep M2) for $'108' - 60$ A1 cao OR M1 for $(5 - 2) \times 180$ (=540) M1 for $'540' \div 5$ (= 108) M1 (dep M2) for $'108' - 60$ A1 cao
9	(a)		$3(t + 4)$	1	B1 for $3(t + 4)$ or $3 \times (t + 4)$ oe
	(b)(i)		$20x + 25$	3	M1 for $7 \times 2x + 7 \times 1$ or $14x + 7$ or $6 \times x + 6 \times 3$ or $6x + 18$ A1 for $20x + 25$ (accept $5(4x+5)$)
	(ii)		Shown		B1 for $5(4x+5)$ or describes how the coefficient of x and the constant term are both multiples of 5
10			Correct elevation	2	M1 for a side elevation which shows 2 vertical, 2 horizontal and 1 sloping line in the correct order. A1 fully correct

5MB2H_01


Question	Working	Answer	Mark	Notes
11	$8 \times 10 + \frac{4+10}{2} \times 6 = 122$ $80 + 42 = 122$ 122×30 <p>OR</p> $(8 + 6) \times 10 - 2 \times \frac{1}{2} \times \frac{10-4}{2} \times 6 =$ $140 - 18 = 122$ 122×30 <p>OR</p> $8 \times 10 \times 30 = 2400$ $\frac{4+10}{2} \times 6 \times 30 = 1260$ $2400 + 1260$ <p>OR</p> $(8 + 6) \times 10 \times 30 = 4200$ $2 \times \frac{1}{2} \times \frac{10-4}{2} \times 6 \times 30 = 540$ $4200 - 540$	3660	4	<p>M1 for correct method to find one correct area eg $8 \times 10 (= 80)$ or $\frac{4+10}{2} \times 6 (= 42)$</p> <p>or $(8 + 6) \times 10 (= 140)$ or $\frac{1}{2} \times \frac{10-4}{2} \times 6 (= 9)$</p> <p>M1 for correct method to find one correct volume eg $8 \times 10 \times 30 (= 2400)$ or $\frac{4+10}{2} \times 6 \times 30 (= 1260)$</p> <p>or 9×30</p> <p>M1 for correct and complete method to find the total volume</p> <p>A1 cao</p>

5MB2H_01				
Question	Working	Answer	Mark	Notes
12	4.2×10^5 1.3×10^5 3.0×10^{-5} -2.5×10^{-4} 5.2×10^3 OR 420000 130000 0.00003 -0.00025 5200	-2.5×10^{-4} 30×10^{-6} 0.0052×10^6 13×10^4 4.2×10^5	3	M1 for intention to reduce numbers to standard form A1 at least two numbers correctly changed into standard form A1 correct order (any form) OR M1 for intention to reduce numbers to ordinary form A1 at least two numbers correctly changed into ordinary form A1 correct order (any form) (SC B2 for correct ordering largest to smallest)
13	(a)	(8, 4, 0)	1	B1 cao
	(b)	$(8, 2, \frac{7}{2})$	2	M1 for mean of each pair of coordinates, $\frac{8+8}{2} (= 8)$, $\frac{4+0}{2} (= 2)$, $\frac{7+0}{2} (= \frac{7}{2} \text{ oe})$, or 2 correct coordinates. A1 $(8, 2, \frac{7}{2})$ accept $3\frac{1}{2}$ or 3.5 for $\frac{7}{2}$


5MB2H_01				
Question	Working	Answer	Mark	Notes
*14	<p>Angle $BCD = 27^\circ$ Angle $CBD = 90^\circ$ Angle $CDB = 180^\circ - 90^\circ - 27^\circ = 63^\circ$ <u>Alternate angles</u> are equal</p> <p>The <u>tangent</u> to a circle is <u>perpendicular</u> (or 90°) to the <u>radius</u> (or <u>diameter</u>)</p> <p><u>Angles in a triangle</u> add up to <u>180°</u></p> <p>OR</p> <p>Angle $CBE = 90^\circ$, Angle $ABE = 90^\circ - 27^\circ = 63^\circ$ Angle $CDB = 63^\circ$</p> <p>The <u>tangent</u> to a circle is <u>perpendicular</u> (or 90°) to the <u>radius</u> (or <u>diameter</u>) <u>Corresponding angles</u> are equal</p> <p>OR</p> <p>Angle $CBD = 90^\circ$ Angle $ABD = 90^\circ + 27^\circ = 117^\circ$ Angle $CDB = 180^\circ - 117^\circ = 63^\circ$</p> <p>The <u>tangent</u> to a circle is <u>perpendicular</u> (or 90°) to the <u>radius</u> (or <u>diameter</u>) <u>Allied angles/Co-interior angles</u> add up to 180°</p>	63°	4	<p>B1 for Angle $CBD = 90^\circ$ or Angle $CBE = 90^\circ$ B1 for Angle $BCD = 27^\circ$ or Angle $ABE = 63^\circ$ C1 for Angle $CDB = 63^\circ$ and one correct reason C1 for complete and correct reasons.</p> <p>OR</p> <p>B1 for Angle $CBD = 90^\circ$ B1 for Angle $ABD = 117^\circ$ C1 for Angle $CDB = 63^\circ$ and one correct reason C1 for complete and correct reasons.</p> <p><u>Alternate angles</u> are equal</p> <p><u>Corresponding angles</u> are equal</p> <p>The <u>tangent</u> to a circle is <u>perpendicular</u> (or 90°) to the <u>radius</u> (or <u>diameter</u>)</p> <p><u>Angles in a triangle</u> add up to <u>180°</u></p> <p><u>Angles on a straight line</u> add up to <u>180°</u></p> <p>The <u>exterior angle</u> of a triangle is <u>equal</u> to the sum of the <u>interior opposite angles</u>.</p> <p><u>Allied angles/Co-interior angles</u> add up to 180°</p>

5MB2H_01					
Question		Working	Answer	Mark	Notes
15	(a)		$y = 3x$	2	M1 for equation $y = 3x + k$ ($k \neq -4$) A1 for $y = 3x$
	(b)		$y = -\frac{1}{3}x + 5$	2	M1 for gradient $-\frac{1}{3}$ A1 $y = -\frac{1}{3}x + 5$ oe
16			1	3	M1 $(\sqrt{5})^2 - 1$ or $\sqrt{25} - 1$ or $\sqrt{5} \times \sqrt{5} - \sqrt{5} + \sqrt{5} - 1$ or $\sqrt{25} - \sqrt{5} + \sqrt{5} - 1$ M1 (indep) use of $(\sqrt{5})^2 = 5$ or $\sqrt{5} \times \sqrt{5} = 5$ A1 cao
17			$\frac{x}{2x+1}$	3	B1 for $x(x-3)$ B1 for $(2x+1)(x-3)$ B1 for $\frac{x}{2x+1}$

1.



10.



Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG035037 March 2013

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

