

**GCSE (9-1)**

**Chemistry A (Gateway)**

Unit **J248F/01**: Foundation Tier – Paper 1

General Certificate of Secondary Education

**Mark Scheme for June 2018**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

<b>Annotation</b>	<b>Meaning</b>
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

**Subject-specific Marking Instructions****INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry A:

	<b>Assessment Objective</b>
<b>AO1</b>	<b>Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.</b>
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
<b>AO2</b>	<b>Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.</b>
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
<b>AO3</b>	<b>Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.</b>
<b>AO3.1</b>	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
<b>AO3.2</b>	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
<b>AO3.3</b>	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question			Answer	Marks	AO element	Guidance
1			A ✓	1	1.2	ALLOW 1
2			A ✓	1	1.1	
3			D ✓	1	1.1	
4			D ✓	1	1.1	
5			C ✓	1	1.1	
6			B ✓	1	2.1	
7			A ✓	1	2.1	
8			D ✓	1	2.1	
9			C ✓	1	1.1	
10			C ✓	1	2.1	ALLOW 4
11			B ✓	1	2.1	ALLOW 2
12			A ✓	1	1.2	
13			C ✓	1	1.1	
14			B ✓	1	1.1	
15			C ✓	1	1.1	

Question		Answer				Marks	AO element	Guidance																									
16	(a)	<table border="1"> <thead> <tr> <th>Reaction</th> <th>Temperature at start in °C</th> <th>Temperature at end in °C</th> <th>Temperature change in °C</th> <th>Type of reaction</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>20</td> <td>25</td> <td>(+) 5</td> <td>exothermic</td> </tr> <tr> <td>B</td> <td>18</td> <td>10</td> <td>- 8</td> <td>endothermic ✓</td> </tr> <tr> <td>C</td> <td>21</td> <td>35</td> <td>(+) 14</td> <td>exothermic ✓</td> </tr> <tr> <td>D</td> <td>20</td> <td>20</td> <td>0</td> <td></td> </tr> </tbody> </table>				Reaction	Temperature at start in °C	Temperature at end in °C	Temperature change in °C	Type of reaction	A	20	25	(+) 5	exothermic	B	18	10	- 8	endothermic ✓	C	21	35	(+) 14	exothermic ✓	D	20	20	0		3	3 x 2.2	
		Reaction	Temperature at start in °C	Temperature at end in °C	Temperature change in °C	Type of reaction																											
		A	20	25	(+) 5	exothermic																											
		B	18	10	- 8	endothermic ✓																											
		C	21	35	(+) 14	exothermic ✓																											
D	20	20	0																														
Temperature change in <b>BOTH</b> reactions A and D ✓																																	
(b)	C ✓				1	2.2	ecf on ΔT																										
(c)	(i)	100 (kJ) ✓				1	2.2	<b>ALLOW</b> -100																									
	(ii)	50 (kJ) ✓				1	2.2																										



Question		Answer		Marks	AO element	Guidance
17	(a)			2	2 x 2.1	
		<b>Element</b>	<b>Number of atoms</b>			
		C	4			
		H	6			
		O	4			
		All correct ✓✓ One or two correct ✓				
	(b)	C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> ✓		1	2.1	Order of atomic symbols unimportant e.g. <b>ALLOW</b> H <sub>3</sub> C <sub>2</sub> O <sub>2</sub>
	(c)	Solid ✓  Idea that melting point is above 25°C ✓		2	2 x 2.1	<b>ALLOW</b> not reached 184 °C/melting point ; <b>IGNORE</b> boiling point Independent marking points

Question		Answer	Marks	AO element	Guidance
18	(a)	Salt is soluble or dissolves in water (so filtration will not work) ✓  Distillation ✓	2	2 x 3.3b	<b>ALLOW</b> forms (salt) solution  <b>IGNORE</b> fractional <b>ALLOW</b> evaporate <b>and</b> condense
	(b)	Fractional distillation ✓  as liquids have different boiling points ✓	2	2 x 3.2b	<b>ALLOW</b> higher level answers in terms of intermolecular forces
	(c) (i)	Consists of just one element or substance ✓	1	1.2	
	(ii)	No (no mark)  pure samples do not have a range of mpt ✓  Sample 4 has range higher than 120°C ✓  <b>Any one from:</b> Pure samples cannot have melting point above 120°C ✓  Sample 2 is likely to be most pure ✓	3	2 x 3.2a  1 x 3.2b	<b>ALLOW</b> pure samples have single mpt/impure samples have a range of mpts/ impure samples have more than one mpt/4 has a range of mpt  <b>ALLOW</b> sample 4 has higher melting point so cannot be pure/pure sample cannot have a higher mpt./impure sample has lower mpt than 120 °C  <b>IGNORE</b> boiling point

Question		Answer	Marks	AO element	Guidance
19	(a)	Solid ✓	1	1.2	
	(b)	1.76 ✓	1	2.2	
	(c)	No (no mark) 20g calcium carbonate will make 11.2g of calcium oxide ✓ and 8.8g of carbon dioxide ✓	2	2 x 3.1b	<b>ALLOW</b> idea that he has the numbers reversed for both marks <b>ALLOW</b> idea that mass of CO <sub>2</sub> is <b>always</b> lower than CaO for one mark ora
	(d) (i)	40.3 (g) ✓	1	2.2	<b>ALLOW</b> 40
	(ii)	Correct idea of $48.6 + 32 = 80.6$ ✓  (demonstrates law of conservation of mass) since both sides are equal ✓	2	1 x 2.2  1 x 3.2a	<b>ALLOW</b> $48 + 32 = 80$ (must use data)  <b>MAX 1</b> for full argument using 64.6/64

Question		Answer				Marks	AO element	Guidance												
20	(a)	Points plotted correctly ✓ Straight line through all points except point at 6 minutes ✓				2	2 x 2.2	ALLOW ± ½ square												
	(b)	Point on graph at 6 minutes circled ✓				1	2.2													
	(c)	OH <sup>-</sup> and SO <sub>4</sub> <sup>2-</sup> ✓				1	2.2	BOTH REQUIRED												
	(d)	<table border="1"> <thead> <tr> <th>Molten salt</th> <th>Formula</th> <th>Product at cathode</th> <th>Product at anode</th> </tr> </thead> <tbody> <tr> <td>potassium chloride</td> <td>KCl</td> <td>potassium</td> <td>chlorine ✓</td> </tr> <tr> <td>lead iodide</td> <td>PbI<sub>2</sub></td> <td>lead ✓</td> <td>iodine</td> </tr> </tbody> </table>				Molten salt	Formula	Product at cathode	Product at anode	potassium chloride	KCl	potassium	chlorine ✓	lead iodide	PbI <sub>2</sub>	lead ✓	iodine	2	2 x 2.2	DO NOT ALLOW chloride/Cl/Cl <sup>-</sup> ALLOW Cl <sub>2</sub>  ALLOW Pb DO NOT ALLOW Pb <sup>2+</sup>
Molten salt	Formula	Product at cathode	Product at anode																	
potassium chloride	KCl	potassium	chlorine ✓																	
lead iodide	PbI <sub>2</sub>	lead ✓	iodine																	

Question		Answer	Marks	AO element	Guidance
21	(a)	<p><b>DIAMOND</b>  <b>Any two from:</b>            Transparent ✓            Does not conduct electricity ✓            High melting point ✓            High boiling point ✓</p> <p><b>GRAPHITE</b>  <b>Any two from:</b>            Good electrical conductor ✓            Soft ✓            High melting point ✓            High boiling point ✓            (Dark) grey ✓</p>	4	4 x 1.1	<p><b>ALLOW</b> higher level answers to explain the property            e.g has delocalised electrons to explain conduction            has no delocalised electrons to explain non-conduction            strong (covalent) bonds throughout structure to explain high mpt/bpt            layers with weak force between to explain soft/brittle</p> <p><b>ALLOW</b> brittle</p> <p><b>ALLOW</b> black</p>
	(b)	Covalent ✓	1	1.1	
	(c)	<p><b>Any two from:</b>            Graphite has a layered structure ✓            Weak forces between layers ✓            (which) allow layers to slide (over each other) ✓</p>	2	2 x 1.1	<p><b>ALLOW</b> in sheets/in layers  <b>ALLOW</b> weak bonds between layers</p> <p><b>IGNORE</b> intermolecular forces</p>

Question		Answer	Marks	AO element	Guidance
22	(a)	Electrons ✓	1	1.1	
	(b)	Protons <b>AND</b> neutrons ✓	1	1.1	<b>BOTH REQUIRED</b>
	(c)	Idea that the relative mass of protons and neutrons is 1 ✓  and that of electrons is 0.0005 or <b>very</b> small (in comparison) ✓	2	2 x 1.1	<b>ALLOW</b> protons and neutrons have (significant) mass/more mass than electrons <b>DO NOT ALLOW</b> grams  <b>ALLOW</b> mass of electron is negligible  <b>Max 1</b> if g used
	(d)	<b>Any two from:</b> Isotopes ✓  same number of protons/ same atomic number ✓  different numbers of neutrons/ different mass numbers ✓	2	2 x 1.1	<b>DO NOT ALLOW</b> different number of electrons  <b>ALLOW</b> atomic mass <b>DO NOT ALLOW</b> relative atomic mass

Question		Answer	Marks	AO element	Guidance
23	(a)	Water ✓	1	1.2	
	(b)	Idea that different inks move across the paper at different speeds ✓	1	1.2	<b>ALLOW</b> inks have different solubilities (in water) / different adsorption (to paper) <b>ALLOW</b> different R <sub>f</sub> values
	(c) (i)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 0.50 award 2 marks</b>  2.6 and 5.2 ✓ 2.6/5.2 = 0.5(0) ✓	2	2.2 2.2	Ecf <b>IGNORE</b> units
	(ii)	A ✓  Has same pattern as ink from cheque ✓	2	2 x 2.2	<b>ALLOW</b> green  same R <sub>f</sub> values

Question	Answer	Marks	AO element	Guidance
24 *	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p><b>Level 3 (5–6 marks)</b>  <b>Analyses the information to identify the type of bonding present in all three substances</b>  <b>AND</b>  <b>provides a correct explanation for two of them AND a basic explanation for the third</b>  <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p><b>Level 2 (3–4 marks)</b>  <b>Analyses the information to identify the type of bonding present in two of the substances</b>  <b>AND</b>  <b>provides a correct explanation for one of them / a basic explanation for both of them</b>  <b>OR</b>  <b>Analyses the information to identify the type of bonding present in two of the substances</b>  <b>AND</b>  <b>provides a basic explanation for two of them</b>  <b>OR</b>  <b>Analyses the information to identify the type of bonding present in three of the substances</b>  <b>AND</b>  <b>provides a basic explanation for one of them</b></p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p>	6	2 x 2.1 2 x 3.1a 2 x 3.2b	<p><b>AO3.2b Analyses information to draw conclusions about the three substances</b></p> <ul style="list-style-type: none"> <li>• substance A is covalently bonded</li> <li>• substance A is simple molecular</li> <li>• substance B is a metal / has metallic bonding</li> <li>• substance C is an ionic compound</li> </ul> <p><b>AO3.1a Analyses information to interpret the type of bonding present in all three substances</b></p> <ul style="list-style-type: none"> <li>• substance A has a low melting point and boiling point so is covalent</li> <li>• substance A does not conduct electricity so is likely to be covalent</li> <li>• substance B has high melting point and boiling point and is a good conductor so is a metal or has metallic bonding</li> <li>• substance C has a high melting point and boiling point but does not conduct as a solid so is likely to be an ionic compound</li> <li>• substance C does not conduct as a solid but does when molten so is likely to be an ionic compound</li> </ul> <p><b>AO2.1 Applies knowledge and understanding to identify information about the three substances</b></p> <ul style="list-style-type: none"> <li>• substance A has a low melting point and boiling point</li> <li>• substance A does not conduct electricity</li> <li>• substance B has high melting point and boiling point and is a good conductor</li> <li>• substance C has a high melting point and boiling point but does not conduct as a solid</li> </ul>



Question	Answer	Marks	AO element	Guidance
	<p><b>Level 1 (1–2 marks)</b>  <b>Analyses the information to identify the type of bonding present in one of the substances</b>  <b>AND</b>  <b>provides a basic explanation</b></p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p><b>0 marks</b>  <i>No response or no response worthy of credit.</i></p>			<ul style="list-style-type: none"> <li>substance C does not conduct as a solid but does when molten</li> </ul>

Question			Answer	Marks	AO element	Guidance
25	(a)	(i)	Particles close together / particles compact / particles already touching / particles tightly packed / AW ✓	1	1.1	<p><b>ALLOW</b> idea of particles with no spaces between them</p> <p><b>ALLOW</b> any type of particles</p> <p>Mark can be awarded from a diagram</p> <p><b>IGNORE</b> particles are in fixed positions</p> <p><b>IGNORE</b> particles are in a regular arrangement / particles are in a lattice</p> <p><b>IGNORE</b> intermolecular forces</p>
	(a)	(ii)	<p><b>Any three from:</b></p> <p>Particles in a solid are in fixed positions ✓</p> <p>Particles in a solid vibrate ✓</p> <p>Particles in a liquid can move (past each other) ✓</p> <p>as forces between particles in a liquid are less than in a solid ✓</p>	3	3 x 1.1	<p><b>ALLOW</b> any type of particles</p> <p><b>ALLOW</b> particles in a solid cannot move (past each other)</p> <p><b>IGNORE</b> solid cannot flow, but <b>ALLOW</b> particles in a solid cannot flow</p> <p><b>IGNORE</b> particles move around on the spot</p> <p><b>IGNORE</b> liquid can flow, but <b>ALLOW</b> particles in a liquid can flow</p> <p><b>ALLOW</b> liquid particles have enough energy to overcome attractions (between particles)</p> <p><b>DO NOT ALLOW</b> no forces between particles</p> <p><b>IGNORE</b> intermolecular forces</p>

Question		Answer	Marks	AO element	Guidance
	(a) (iii)	<p><b>Any two from:</b></p> <p>Particles are moving quickly (in all directions) ✓</p> <p>Particles are far apart ✓</p> <p>Particles spread out ✓</p> <p>Weak forces between the particles ✓</p>	2	2 x 1.1	<p><b>ALLOW</b> any type of particles</p> <p><b>ALLOW</b> particles can move freely or randomly</p> <p><b>ALLOW</b> M2 from a diagram showing no particles touching</p> <p><b>IGNORE</b> intermolecular forces</p> <p><b>IGNORE</b> no forces between particles</p>
	(b)	<p><math>\text{Mg} + 2\text{H}_2\text{O} \rightarrow \text{Mg}(\text{OH})_2 + \text{H}_2</math></p> <p>Correct formulae ✓</p> <p>Balancing ✓</p>	2	1.1 2.2	<p>Balancing mark is conditional on correct formulae</p> <p><b>ALLOW</b> = or = instead of →</p> <p><b>DO NOT ALLOW</b> and or &amp; instead of +</p> <p><b>ALLOW</b> any correct multiples including fractions e.g. <math>2\text{Mg} + 4\text{H}_2\text{O} \rightarrow 2\text{Mg}(\text{OH})_2 + 2\text{H}_2</math></p> <p><b>ALLOW</b> one mark for correct equation with minor errors in case, subscript or superscript e.g. <math>\text{MG} + 2\text{H}^2\text{O} \rightarrow 2\text{Mg}(\text{OH})_2 + \text{H}_2</math></p> <p><b>IGNORE</b> state symbols</p>
	(c)	148.3 ✓	1	2.2	<b>ALLOW</b> 148

Question		Answer	Marks	AO element	Guidance												
26	(a)	<p><b>Any four from:</b> Titration ✓</p> <p>Put acid in burette ✓ Pipette (a known volume of) sodium hydroxide into flask ✓</p> <p>Use a (named) indicator / use of a pH meter ✓ Add acid to sodium hydroxide until colour of indicator changes ✓ Repeat (to get an accurate value) ✓ Repeat again with no indicator ✓ Evaporate (off the water) / crystallise ✓</p>	4	4 x 3.3a	<p><b>ALLOW</b> other methods involving adding acid to sodium hydroxide solution using the principles outlined on the LHS eg <b>ALLOW</b> mix or react acid with alkali</p> <p><b>ALLOW</b> alkali in burette <b>ALLOW</b> acid in flask</p> <p><b>DO NOT ALLOW</b> marks in incorrect context</p>												
	(b)	$\text{NaOH} + \text{HCl} \rightarrow \text{NaCl} + \text{H}_2\text{O}$ ✓	1	2.2	<p><b>ALLOW</b> = or ⇌ instead of → <b>DO NOT ALLOW</b> and or &amp; instead of +</p> <p><b>ALLOW</b> any correct multiples including fractions</p> <p><b>IGNORE</b> any state symbols</p>												
	(c)	<table border="1"> <thead> <tr> <th>Acid used</th> <th>Other starting material</th> <th>Salt made</th> </tr> </thead> <tbody> <tr> <td>sulfuric acid</td> <td>copper oxide</td> <td><b>copper sulfate</b> ✓</td> </tr> <tr> <td><b>nitric acid</b> ✓</td> <td>zinc carbonate</td> <td>zinc nitrate</td> </tr> <tr> <td>hydrochloric acid</td> <td><b>magnesium oxide/ magnesium hydroxide / magnesium carbonate / magnesium</b> ✓</td> <td>magnesium chloride</td> </tr> </tbody> </table>	Acid used	Other starting material	Salt made	sulfuric acid	copper oxide	<b>copper sulfate</b> ✓	<b>nitric acid</b> ✓	zinc carbonate	zinc nitrate	hydrochloric acid	<b>magnesium oxide/ magnesium hydroxide / magnesium carbonate / magnesium</b> ✓	magnesium chloride	3	3 x 2.2	<b>ALLOW</b> correct formulae
Acid used	Other starting material	Salt made															
sulfuric acid	copper oxide	<b>copper sulfate</b> ✓															
<b>nitric acid</b> ✓	zinc carbonate	zinc nitrate															
hydrochloric acid	<b>magnesium oxide/ magnesium hydroxide / magnesium carbonate / magnesium</b> ✓	magnesium chloride															
	(d)	Neutralisation ✓	1	2.2													

**OCR (Oxford Cambridge and RSA Examinations)**  
**The Triangle Building**  
**Shaftesbury Road**  
**Cambridge**  
**CB2 8EA**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2018

