

# GCE

# **Chemistry B**

Unit H033/01: Foundations of chemistry

Advanced Subsidiary GCE

## Mark Scheme for June 2017

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

F321

Annotations available in RM Assessor

Annotation	Meaning
✓	Correct response
X	Incorrect response
	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore
ВР	Blank page

## Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument
1	Alternative and acceptable answers for the same marking point
✓	Separates marking points

#### Mark Scheme

#### Subject-specific Marking Instructions

- a) Where a candidate overwrites an answer (particularly in questions 1 to 20) the assessor should attempt to mark the more prominent response.
- b) The first 20 multiple choice questions require either 1 mark, 0 marks or NR there is no need to tick or otherwise annotate these responses. All other questions require ticks which match the number of marks awarded or NR.
- c) Always check the pages which are linked to question 21a (and additional objects if present). All such pages should be marked with BP (Blank Page) unless they contain material relevant to a question. In which case, they should be linked to the appropriate question and marked as required (tick or SEEN).
- d) If an answer appears to continue outside the marking zone the assessor should link the additional material to the appropriate question and mark as required (tick or SEEN).

### INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

## **SECTION A**

Q	Key
1	D
2	В
3	D
4	В
5	В
6	D
7	С
8	Α
9	D
10	В
11	В
12	A
13	С
14	A
15	A
16	D
Q 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	Key           D           B           D           C           A           D           A           C           A           C           A           C           A           C           A           B           B           B           B           B           B           B           B           B           B           B
18	Α
19	A
20	В

Q	Question		Answer	Marks	Guidance	
21	(a)	(i)				
		(ii)	1s <sup>2</sup> 2s <sup>2</sup> 2p <sup>6</sup> 3s <sup>2</sup> 3p <sup>5</sup>	1	ALLOW capital letters and non-superscripted numbers	
		(iii)	dumb-bell AND 2 electrons	1	IGNORE shading of dumb-bell IGNORE attempt to show 3D nature IGNORE orientation of dumb-bell If more than one dumbbell is shown the answer must make clear that it is two electrons per dumb- bell	
	(b)		FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = 35.49 award 2 marks (75.53 x 35 + 24.47 x 37)/100 OR 35.4894 ✓ 35.49 (2 dp) ✓	2	35.5 scores 1 mark Any calculated answer to 2dp scores 1 mark	
	(c)	(i)	C <sub>2</sub> H <sub>5</sub> <sup>35</sup> Cl <sup>+</sup> / CH <sub>3</sub> CH <sub>2</sub> <sup>35</sup> Cl <sup>+</sup>	1	<ul> <li>ALLOW isotope number on either side of the Cl throughout part (c)</li> <li>ALLOW formula without isotope superscript if relevant isotope is mentioned separately</li> <li>ALLOW <sup>12</sup>C and <sup>1</sup>H in formula</li> <li>ALLOW omission of either + sign or '35' but not both</li> <li>DO NOT ALLOW minus sign</li> <li>IGNORE dot to recognise radical nature of cation</li> </ul>	
		(ii)	m/z 66 is $C_2H_5^{37}CI^{(+)}$ Ratio (of peak heights) is 3:1/75.53:24.47/75:25/the same as the ratio of the isotopes $$	2	IGNORE absence of plus sign '(The two peaks) due to the two isotopes of Cl' scores first mark DO NOT ALLOW 'ratio is 4:1'	
		(iii)	${}^{13}CCH_5{}^{(35)}Cl^{(+)} / {}^{13}CH_3CH_2{}^{(35)}Cl^{(+)} / \\CH_3{}^{13}CH_2{}^{(35)}Cl^{(+)} / C_2H_4{}^{37}Cl^{(+)}$	1	ALLOW <sup>12</sup> C and <sup>1</sup> H in formula IGNORE sign NOTE superscript 35 and + not necessary for this mark	
	(d)		EITHER 3200-3600 (cm <sup>-1</sup> ) AND OH	1	DO NOT ALLOW other absorptions	

## Mark Scheme

Question		on	Answer	Marks	Guidance
			<b>OR</b> 1000-1300 (cm <sup>-1</sup> ) <b>AND</b> CO		
			Total	10	

H033/01 Question		I	Mark Scheme					
		on	Answer	Marks	Guidance			
2	(a)		potassium sulfate ✓		<b>ALLOW</b> 'sulfate(VI)', 'sulphate' and 'K <sub>2</sub> SO <sub>4</sub> '			
	(b)	(i)	coloured lines on dark/black (background) ✓	1	ALLOW 'bright lines on dark/black (background)'			
		(ii)	FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = 296/295.6/300 (kJ mol <sup>-1</sup> ) award 3 marks $E = hc/\lambda$ OR $6.63 \times 10^{-34} \times 3.00 \times 10^{8}/ 4.05 \times 10^{-7} \checkmark$ Evaluation of a given expression for E (= 4.91(11) x 10 <sup>-19</sup> (J per atom)) $\checkmark$ = 4.91 x 10 <sup>-19</sup> x 6.02 x 10 <sup>23</sup> /1000 = 296 (kJ mol <sup>-1</sup> ) $\checkmark$	3	ALLOW ecf ALLOW 2 or more sf 4.91x10 <sup>-22</sup> scores 2 4.91x10 <sup>-19</sup> scores 2 4.91x10 <sup>any other power</sup> scores 1 2.96x10 <sup>any other power</sup> scores 2			
	(c)	(i)	$Pb(NO_3)_2 + 2NaCl \rightarrow PbCl_2 + 2NaNO_3$	1	State symbols need not be present but <b>DO NOT</b> <b>ALLOW</b> incorrect symbols <b>IGNORE</b> ionic equations			
		(ii)	Wash (the residue/solid with water) ✓ Remove soluble material/salts/impurities/etc√	2	<b>DO NOT ALLOW</b> washing with anything other than water			
	(d)	(i)	FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = 0.318 (mol dm <sup>-3</sup> ) award 2 marks n (Na <sub>2</sub> CO <sub>3</sub> ) = (25.0 / 1000 x 0.150) = 0.00375 mol n (HCl) = (2 x 0.00375) = 0.0075 mol [HCl] = (0.0075 x 1000 / 23.6) = 0.318 (mol dm <sup>-3</sup> ) correct use of ratio 2 $\checkmark$ rest correct $\checkmark$	2	ALLOW 2 or more sf 0.1588 or 0.079 score 1 mark			
		(ii)	'The student is incorrect' ✓ <b>EITHER</b> 0.150 means between 0.1495 and 0.1504 AW <b>OR</b> 0.150 means 0.150 ±0.0005 AW <b>OR</b> 0.15 means between 0.145 and 0.154 AW <b>OR</b> 0.15±0.005 AW ✓	2	<ul> <li><b>IGNORE</b> reference to significant figures</li> <li><b>ALLOW</b> ' 0.1495 and 0.1505'</li> <li><b>ALLOW</b> ' 0.145 and 0.155'</li> <li><b>ALLOW</b> '0.150 is more <u>precise</u> (than 0.15)' for 2<sup>nd</sup> marking point.</li> </ul>			

Q	uesti	on	Answer	Marks	Guidance
	(e)	(i)	(i) green (ppt) with NaOH/(sodium) hydroxide (solution)/OH <sup>-</sup> √		IGNORE reference to green ppt turning brown on standing ALLOW 'green-blue (ppt.)'
		(ii)	Fe <sup>2+</sup> (aq) + 2OH⁻(aq) → Fe(OH)₂(s) ✓	1	<b>ALLOW</b> correct equation for test for sulfate if given as answer to 22(e)(i)
	(f)	(i)	heat to constant mass AW	1	ALLOW 'weight'
		(ii)	FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = 7 award 2 marks amount of $H_2O = 4.29/18$ or $0.238$ AND amount FeSO <sub>4</sub> = 5.16/151.8 or $0.034 \checkmark$ Ratio $0.238/0.034 = 7$ so x= 7 $\checkmark$	2	Ratio correctly based on incorrect calculations of moles of $H_2O$ or $FeSO_4$ scores 1
			Total	17	

Q	uesti	on			An	iswer			Marks	Guidance
23	(a)		fuel	name	skeletal formula	molecular formula	aliphatic or aromatic?	saturated or unsaturated?	3	For the name, <b>IGNORE</b> commas, dashes and
			в	cyclohexane		$C_6H_{12}$	aliphatic	saturated		spaces. ALLOW 'methly', 'metyl' and 'methy'
			с	2- methylhexane	$ \!$	C <sub>7</sub> H <sub>16</sub>	aliphatic	saturated		
					$\checkmark$	$\checkmark$		$\checkmark$		
				<b>OR</b> - 228		∆ <sub>f</sub> <i>H</i> (CO₂) + x -394) + ′58 + 481	· 4811 4811			
		(ii)		T CHECK T swer = 1.6 x					3	
				nRT/ <i>M</i> r P <b>OF</b> ession with c				= nRT/P <b>OR</b>		e.g. 150000V = 1.045 x 8.314 x 273 scores first mark.
				uation of a gi /omission (=			nas a max	kimum of 1		<b>ALLOW</b> calculation based on VT/P is constant and using value of 24.0 for molar volume at RTP
			answ	ver to step 2	x10 <sup>6</sup> express	sed to 2sf (	=16000 o	or 1.6x10 <sup>4</sup> )√		(2sf)

Question	Answer	Marks	Guidance
(c) (i)	<ul> <li>temperature rise (or temperature before and after) mass/volume of water in beaker ✓</li> <li>energy = mc∆T (or descriptions substituted) ✓</li> </ul>	2	<ul> <li>IGNORE mass of fuel burned (or mass before and after)</li> <li>ALLOW 'shc' and 'theta' for ∆T</li> <li>DO NOT ALLOW 'm=mass of fuel' in the formula</li> <li>'energy = mass of water x specific heat capacity x change in temperature of water' scores 2</li> </ul>
(ii)	<ul> <li>Improvements with appropriate reasons √√</li> <li><i>two from:</i> <ul> <li>install (draft) screens AW – reduce heat loss</li> <li>lag (sides of) calorimeter – reduce heat loss</li> <li>lid on calorimeter – reduce heat loss</li> <li>use bomb calorimeter – avoid heat losses/(more) complete combustion</li> <li>move burner closer to beaker – improve heat transfer</li> <li>use copper calorimeter – improve heat transfer</li> <li>move thermometer off bottom of beaker – more accurate ΔT</li> <li>stir – improve even heat distribution</li> <li>oxygen enriched atmosphere – more complete combustion</li> </ul> </li> </ul>	4	One mark for each improvement then the second mark for a valid explanation e.g. 'Lid reduces evaporation (of water)' scores 1 mark (improvement but not a valid reason)
(d)	nitrogen and oxygen (from the air) combine/react/bond in the high temperature/heat (of the engine) ✓	1	DO NOT ALLOW answers saying that reaction happens in catalyser/exhaust. DO NOT ALLOW answers which state that either gas comes from the fuel ALLOW 'N (atoms)'; 'O (atoms)'
		15	

Q	uesti	on	Answer	Marks	Guidance	
24	(a)	(i)	equal rates/speed	1		
	(b)	(i)	the ability/tendency of an <u>atom</u> (in a molecule) to attract electrons in a (chemical/covalent) bond	1	ALLOW 'how strongly'; 'how easily' AW DO NOT ALLOW 'ability of a nucleus' DO NOT ALLOW references to ionic bonding	
		(ii)	н н н н с <b>:с:</b> о с с н н о н н	1	Each lone pair should be two identical symbols; Bonding pairs between C and O must be two different symbols; The bonding pair between the two C's can be either identical or different.	
		(iii)	$120^{(o)} \checkmark$ <u>three</u> groups/regions/areas of electron(s) (density) $\checkmark$	4	<ul> <li>ALLOW ecf between 1<sup>st</sup> and 2<sup>nd</sup> marking points:</li> <li>i.e. 4 <i>pairs</i>/groups etc and 104-110</li> <li>OR 2 groups etc and 180</li> <li>scores 1 of first 2 marking points</li> <li>ALLOW 'three regions of <u>negative</u> charge'</li> </ul>	
			(electrons) repel ✓ get as far away as possible ✓		Last two marks can be scored for any reference to electrons repelling as far as possible. <b>IGNORE</b> 'maximum repulsion' or 'repel as much as possible' 'minimise repulsion' scores last two marks	
		(iv)	permanent (dipole) – permanent dipole	1	ALLOW minor spelling errors; 'pd-pd'	
				8		

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

**OCR Customer Contact Centre** 

#### **Education and Learning**

Telephone: 01223 553998 Facsimile: 01223 552627 Email: <u>general.gualifications@ocr.org.uk</u>

#### www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553 PART OF THE CAMBRIDGE ASSESSMENT GROUP

