



GCE A LEVEL MARKING SCHEME

SUMMER 2017

A LEVEL (NEW)
CHEMISTRY - COMPONENT 3
A410U30-1

INTRODUCTION

This marking scheme was used by WJEC for the 2017 examination. It was finalised after detailed discussion at examiners' conferences by all the examiners involved in the assessment. The conference was held shortly after the paper was taken so that reference could be made to the full range of candidates' responses, with photocopied scripts forming the basis of discussion. The aim of the conference was to ensure that the marking scheme was interpreted and applied in the same way by all examiners.

It is hoped that this information will be of assistance to centres but it is recognised at the same time that, without the benefit of participation in the examiners' conference, teachers may have different views on certain matters of detail or interpretation.

WJEC regrets that it cannot enter into any discussion or correspondence about this marking scheme.

COMPONENT 3: CHEMISTRY IN PRACTICE

MARK SCHEME

GENERAL INSTRUCTIONS

Recording of marks

Examiners must mark in red ink.

One tick must equate to one mark, apart from extended response questions where a level of response mark scheme is applied.

Question totals should be written in the box at the end of the question.

Question totals should be entered onto the grid on the front cover and these should be added to give the script total for each candidate.

Extended response questions

A level of response mark scheme is applied. The complete response should be read in order to establish the most appropriate band. Award the higher mark if there is a good match with content and communication criteria. Award the lower mark if either content or communication barely meets the criteria.

Marking rules

All work should be seen to have been marked.

Marking schemes will indicate when explicit working is deemed to be a necessary part of a correct answer.

Crossed out responses not replaced should be marked.

Marking abbreviations

The following may be used in marking schemes or in the marking of scripts to indicate reasons for the marks awarded.

cao = correct answer only ecf = error carried forward bod = benefit of doubt

Credit should be awarded for correct and relevant alternative responses which are not recorded in the mark scheme.

	Question			Marking details							Marks a	vailable		
	Questic	ווכ							AO1	AO2	AO3	Total	Maths	Prac
1	(a)		award (1) for use of fur wash fur volun add distil	 wash funnel / glass rod / beaker with deionised water into volumetric flask add distilled water up to mark 								3		3
	(b)		Rough titration	Titration 1	Titration 2	Titration 3	Titration 4							
			0.80	23.00	0.40	21.45	2.05							
			23.00	44.00	21.45	43.25	23.00							
			22.20	21.00	21.05	21.80	20.95							
				ılation and titre 21.00 cm³ give			(1)			2		2		2

Quantian	Marking dataile			Marks a	available)	
Question	Marking details	AO1	AO2	AO3	Total	Maths	Prac
(c)	$n(NaOH) = 21.00/1000 \times 0.1 = 2.1 \times 10^{-3}$ (1)					1	
	$n(H_3X) = 2.1 \times 10^{-3} \div 3 = 7 \times 10^{-4} \text{ in } 25 \text{ cm}^3$ (1)						
	$n(H_3X)$ in 250 cm ³ = 7 × 10 ⁻³ (1)						
	$M_{\rm r}({\rm C_4H_3KO_8.~nH_2O}) = \frac{1.78}{7 \times 10^{-3}} = 254.29$ (1)					1	
	$n = \frac{254.29 - 218.13}{18.02} = 2 \tag{1}$		5		5	1	
	ecf from part (b) and throughout method must be shown for first two marks in order to award any credit for final answer						
(d)	for the 21.10 cm ³ titre						
	percentage error = $\frac{2 \times 0.05}{21.10} \times 100 = 0.47 \%$ (1)		1		1	1	1
	must be 2 sig figs						
	Question 1 total	3	8	0	11	4	6

	0	.4!		Moulsing dataile			Marks	available)	
	Ques	stion		Marking details	AO1	AO2	AO3	Total	Maths	Prac
2	(a)			X is magnesium						
				$Mg + H_2O \rightarrow MgO + H_2$ (1)	1			1		1
	(b) (i)			$n[\mathbf{Y}(OH)_2]$ in 600 cm ³ = $0.0431 \times 600 = 0.02586$ (1)		1				
				1:1 ratio of $\mathbf{Y}:\mathbf{Y}(OH)_2$ therefore $n(\mathbf{Y}) = 0.02586$ (1)		1				
				$A_{\rm r} = \frac{2.27}{0.02586} = 87.8$						
				therefore Y is strontium / Sr (1)			1	3	2	
		(ii)	I	$Y(OH)_2(aq) + Na_2CO_3(aq) \rightarrow YCO_3(s) + 2NaOH(aq)$						
				$\mathbf{Y}^{2+}(aq) + CO_3^{2-}(aq) \rightarrow \mathbf{Y}CO_3(s)$	1			1		
				accept either equation but must be balanced and include state symbols; accept Sr in place of Y						
				ecf possible from part (i) if incorrect Group 2 metal identified						
			II	$200 \text{cm}^3 \text{ of solution} = \frac{0.0431}{1000} \times 200 = 0.00862 \text{ mol of } \textbf{Y} \text{CO}_3 $ (1)						
				mass of $\mathbf{Y}CO_3 = 0.00862 \times M_r(\mathbf{Y}CO_3) = 0.00862 \times 147.6$ (1)						
				= 1.27 g must be given to 3 sig figs (1)		3		3	2	

0	Mayling dataila	Marks available						
Question	Marking details	A01	AO2	AO3	Total	Maths	Prac	
(c)	Indicative content							
	carbonates more thermally stable down the group	1						
	 description of sensible method such as following examples carbonate taken in clamped test tube connected to delivery tube dipping into second tube containing limewater carbonate heated using Bunsen flame until limewater turns milky control variables same number of moles of carbonate same volume + concentration of limewater same distance of test tube to flame + same flame temperature time taken for limewater to turn milky (cloudy) increases for carbonates on going down the group 							
	 carbonate taken in a crucible and heated to determine the loss in mass of the carbonate control variables ✓ same number of moles of carbonate ✓ same distance of crucible to flame + same temperature of flame ✓ carbonates heated for the same amount of time mass loss on heating for the same set time is less on going down the group no trend or incorrect trend in thermal stability and no description of how to control variables used should be considered as 'significant omissions' and credit must be limited to the 1-2 marks band 			5	6		6	

5-6 marks

All aspects of question covered and key details given, including those in **bold** print

The candidate constructs a relevant, coherent and logically structured account including all key elements of the indicative content. A sustained and substantiated line of reasoning is evident and scientific conventions and vocabulary are used accurately throughout.

3-4 marks

Correct description of trend in thermal stability; basic description of apparatus / method used; reference to one control variable; observation and expected results

The candidate constructs a coherent account including many of the key elements of the indicative content. Some reasoning is evident in the linking of key points and use of scientific conventions and vocabulary is generally sound.

1-2 marks

Description of apparatus or method used / simple observation

The candidate attempts to link at least two relevant points from the indicative material. Coherence is limited by omission and/or inclusion of irrelevant materials. There is some evidence of appropriate use of scientific conventions and vocabulary.

0 marks

The candidate does not make any attempt or give an answer worthy of credit.

Ouestis	Marking dataila			Marks a	available	•	
Questic	Marking details	AO1	AO2	AO3	Total	Maths	Prac
(d)	addition of solution containing $SO_4^{2^-}$ ions (1) $Ba^{2^+}(aq) + SO_4^{2^-}(aq) \rightarrow BaSO_4(s) (1)$	1					
	accept appropriate full equation including soluble barium compound and all state symbols						
	white precipitate with Ba ²⁺ and no precipitate with Mg ²⁺ because solubilities of sulfates (of Group 2) decrease down the group / BaSO ₄ insoluble whereas MgSO ₄ soluble (1)	1			3		3
	Question 2 total	6	5	6	17	4	10

	Question		Marking details	Marks available							
	Ques	stion	Marking details	AO1	AO2	AO3	Total	Maths	Prac		
3	(a)		filter paper soaked in aqueous KNO ₃ / U-tube of agar / gel soaked in saturated KNO ₃ (or other suitable named electrolyte)	1			1		1		
	(b)		$MnO_4^- + 8H^+ + 5Fe^{2+} \rightarrow Mn^{2+} + 4H_2O + 5Fe^{3+}$ (1)	1							
	(0)		$E_{\text{cell}} = 1.52 - 0.77 = 0.75 \text{ V}$ (1)	1			2				
	(c)		half-cell A solution becomes less green in colour (as the concentration of the Fe ²⁺ decreases) / becomes more yellow or brown in colour (as the concentration of the Fe ³⁺ increases) (1) half-cell B solution becomes less purple (violet) in colour (as the concentration of the MnO ₄ ⁻ decreases) / becomes a paler pink in colour (as the concentration of the Mn ²⁺ increases) (1)		1		2		2		
	(d)		 any of following for (1) cell not 100 % efficient cell not at standard temperature / conditions not standard electrodes become contaminated on the surface (over time) concentration of solutions changes (over time) not a high resistance voltmeter 			1	1		1		
			Question 3 total	3	2	1	6	0	4		

	Question			Marking details			Marks available							
	Ques	stion		IVIATKI	ng details	AO1	AO2	AO3	Total	Maths	Prac			
4	(a)			hazard and associated risk requir	ed									
				Hazard	Risk									
				bromine is very toxic	bromine produces a vapour which is very toxic if inhaled									
				or bromine is corrosive	or bromine causes severe burns to the eyes and skin if spilt onto	1			1		1			
					skin or eyes									
	(b)	(i)		$m = d \times v = 3.10 \times 10 = 31$ (1)										
				$n(Br_2) = \frac{m}{M_r} = \frac{31}{159.8} = 0.194 \text{ mol}$	(1)			2	2	2				
		(ii)		$n(Na_2S_2O_3) = 1.05 \times 17.35/1000$	= 0.01822 mol (1)									
				$n(I_2) = \frac{0.01822}{2} = 0.00911 \text{ mol in}$	25 cm ³ (1)		1			1				
				$n(I_2)$ in 250 cm ³ = 0.0911 mol (1			1							
				n(Br ₂) in excess following reaction			1							
				$n(Br_2)$ that reacted = 0.194 – 0.09				1	4					
				II(DI ₂) that reacted = 0.194 = 0.09	11-0.10311101 (1)			l	4					

Question	Marking dataila	Marks available						
Question	Marking details	AO1	AO2	AO3	Total	Maths	Prac	
(iii)	$n(alkene) = \frac{0.103}{2} = 0.0515 \text{ mol}$ (1)			1				
	$M_{\rm r}(\text{alkene}) = \frac{3.50}{0.0515} = 68.0 (1)$			1				
	therefore molecular formula is C_5H_8 (1)			1				
	ecf possible from part (ii)							
	if incorrect M_r and hence incorrect molecular formula award (1) for stating that alkene is a diene / contains two C=C bonds (ratio of 1 U : 2Br ₂)							
	award (1) for structural formula and (1) for name			2	5			
	any of the following							
	penta-1,3-diene CH ₃ —CH=CH—CH=CH ₂							
	penta-1,4-diene CH ₂ =CH—CH ₂ —CH=CH ₂							
	penta-2,3-diene CH ₃ —CH=C=CH—CH ₃							
	penta-1,2-diene CH ₂ =C=CH— CH ₃ —CH ₃							
	Question 4 total	1	3	8	12	3	1	

Ousstice	Marking dataile			Marks a	vailable		
Question	Marking details	A01	AO2	AO3	Total	Maths	Prac
5	Test 1: Observation orange colour becomes green (1)	1					
	Test 2: Observation purple coloured solution formed (1)	1					
	Test 3: Reagent(s) NaNO ₂ / HCl or HNO ₂ (or names) (1)	1					
	Test 4: Structure R—NH ₃ ⁺ Cl ⁻ (1)	1			4		4
	Question 5 total	4	0	0	4	0	4

	00	stion	Marking dataila					Marks a	vailable		
	Que	Suon		Marking details		AO1	AO2	AO3	Total	Maths	Prac
6	(a)		all three correct for (2) award (1) for two correct	3 sig figs req	uired						
			Temperature (T) / K	1/T / K ⁻¹	log ₁₀ (1/t)						
			298								
					-1.74		2		2	2	
				0.00300							
	(b)		award (1) for any of follo concentration of percent	oxodisulfate ions							
			concentration of iodicvolume of each comp			1			1		1

Ougstion	Marking details			Marks a	vailable		
Question	Marking details	AO1	AO2	AO3	Total	Maths	Prac
(c)	correct plotting of points (± ½ square) (1)	1					
	line of best fit (1)		1				
	gradient of line = $\Delta y \Delta x$						
	$= \frac{-0.61}{0.22 \times 10^{-3}} = -2.77 \times 10^{3} \text{ K}$						
	correct numerical value (1) –ve sign (1)						
	gradient = $\underline{-E_a}$ or E_a = -gradient × 2.30 R (1) 2.30 R						
	$E_a = 2.773 \times 10^3 \times 2.30 \times 8.31$						
	$E_{\rm a} = 53,000 \text{ J mol}^{-1} \text{ or } 53.0 \text{ KJ mol}^{-1}$						
	correct numerical value (1) correct unit (1)			5	7	7	
	Question 6 total	2	3	5	10	9	1

COMPONENT 3: CHEMISTRY IN PRACTICE

SUMMARY OF MARKS ALLOCATED TO ASSESSMENT OBJECTIVES

Question	AO1	AO2	AO3	Total	Maths	Prac
1	3	8	0	11	4	6
2	6	5	6	17	4	10
3	3	2	1	6	0	4
4	1	3	8	12	3	1
5	4	0	0	4	0	4
6	2	3	5	10	9	1
Totals	19	21	20	60	20	26

Eduqas GCE A Level Chemistry Component 3 MS Summer 2017 (New)/ED